

according to Regulation (EC) No 1907/2006

TRU Self Leveling

Print date: 18.11.2015 Product code: 57 Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

TRU Self Leveling

Further trade names

TRU Self Leveling

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Building and construction work.

1.3. Details of the supplier of the safety data sheet

Company name: KORODUR

Westphal Hartbeton GmbH & Co. KG

Street: Hohensteinstraße 19

Place: D-44866 Bochum- Wattenscheid

Telephone: +49(0)2327/94570 Telefax: +49(0)2327/321084

e-mail: info@korodur.de

Contact person: Sander Telephone: +49(0)2327/9457-17

e-mail: f.sander@korodur.de
Internet: www.korodur.de

1.4. Emergency telephone +49(0)2327/94570

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard Statements:

May cause respiratory irritation. Causes serious eye damage. Causes skin and eye irritation.

2.2. Label elements

Signal word: Warning Pictograms: GHS07



Hazard statements

H335 May cause respiratory irritation.
H318 Causes serious eye damage.
H315+H320 Causes skin and eye irritation.

Precautionary statements

P337+P313 If eye irritation persists: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

2.3. Other hazards

Skin corrosion/irritation: Respiratory or skin sensitisation:



according to Regulation (EC) No 1907/2006

TRU Self Leveling

Print date: 18.11.2015 Product code: 57 Page 2 of 5

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
266-043-4	Calcium Sulfoaluminate Cement	30-60 %
65997-15-1	Xi - Irritant R37/38-41-43	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Seek medical attention if problems persist.

After inhalation

Provide fresh air. In case of irritation of the respiratory tract seek medical advice.

After contact with skin

After contact with skin, wash immediately with: In case of skin irritation, seek medical treatment.

After contact with eyes

Consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

After ingestion

Do not induce vomiting. Rinse mouth immediately and drink large quantities of water.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product itself is not combustible.

Unsuitable extinguishing media

High power water jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Treat the assimilated material according to the section on waste disposal. Avoid generation of dust.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Working areas must be arranged in such a manner that they can be cleaned at all times. Do not



according to Regulation (EC) No 1907/2006

TRU Self Leveling

Print date: 18.11.2015 Product code: 57 Page 3 of 5

breathe dust.

Advice on protection against fire and explosion

Product is not: Combustible. Explosive.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

Observe technical data sheet.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
65997-15-1	Portland cement, respirable dust	-	4		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

Additional advice on limit values

[-]

8.2. Exposure controls

Appropriate engineering controls

[-]

Protective and hygiene measures

Street clothing should be stored seperately from work clothing. Wash hands before breaks and at the end of work.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Butyl rubber. NBR (Nitrile rubber). FKM (fluororubber).

Skin protection

Overall.

Respiratory protection

particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Powder Colour: typical Odour: odourless

Test method

pH-Value (at 20 °C): 11-13,5

Changes in the physical state



according to Regulation (EC) No 1907/2006

TRU Self Leveling

Print date: 18.11.2015 Product code: 57 Page 4 of 5

Melting point: 1400 °C

Explosive properties

not explosive.

Oxidizing properties

Not oxidizing.

Density (at 20 °C): 2,1 g/cm³

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

[-]

10.5. Incompatible materials

Acid.

10.6. Hazardous decomposition products

[-]

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Frequently or prolonged contact with skin may cause dermal irritation.

Irritation and corrosivity

After skin contact: irritant.

Sensitising effects

After skin contact:sensitizing.

SECTION 12: Ecological information

Further information

[-]

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Completely emptied packings can be re-cycled.

Waste disposal number of waste from residues/unused products

170101 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); concrete, bricks, tiles and ceramics; concrete

Waste disposal number of used product

170101 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); concrete, bricks, tiles and ceramics; concrete

Waste disposal number of contaminated packaging

101314 WASTES FROM THERMAL PROCESSES; wastes from manufacture of cement, lime and plaster and articles and products made from them; waste concrete and concrete sludge

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

Inland waterways transport (ADN)



according to Regulation (EC) No 1907/2006

TRU Self Leveling

Print date: 18.11.2015 Product code: 57 Page 5 of 5

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

Marine transport (IMDG)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

Air transport (ICAO)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

SECTION 16: Other information

Relevant R-phrases (Number and full text)

37/38 Irritating to respiratory system and skin.
41 Risk of serious damage to eyes.
43 May cause sensitisation by skin contact.

Relevant H- and EUH-phrases (Number and full text)

H315+H320 Causes skin and eye irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)